



#### General

#### **Title**

Upper gastrointestinal (GI) cancer: proportion of patients with oesophageal or gastric cancer who receive curative oncological treatment who die within 30 days of treatment.

#### Source(s)

NHS Scotland, Scottish Cancer Taskforce. Upper GI cancer clinical quality performance indicators. Edinburgh (Scotland): Healthcare Improvement Scotland, Scottish Government; 2015 Jan. 41 p. [15 references]

#### Measure Domain

#### Primary Measure Domain

Clinical Quality Measures: Outcome

## Secondary Measure Domain

Does not apply to this measure

## **Brief Abstract**

## Description

This measure is used to assess the proportion of patients with oesophageal or gastric cancer who receive curative oncological treatment, which includes chemoradiotherapy or peri-operative chemotherapy (this includes neo-adjuvant and adjuvant chemotherapy), who die within 30 days of treatment.

This Cancer Quality Performance Indicator (QPI) measure is separated into two parts. Please refer to the related NQMC summary, Upper gastrointestinal (GI) cancer: proportion of patients with oesophageal or gastric cancer who receive palliative oncological treatment who die within 30 days of treatment.

Note from the National Quality Measures Clearinghouse: This measure is part of the QPIs collection. For more information, including a complete list of QPI measure sets, please visit the Healthcare Improvement Scotland Web site

#### Rationale

Significant evidence exists to demonstrate that palliative treatment, particularly chemotherapy, is of benefit to patients with upper gastrointestinal (GI) cancers not suitable for curative treatment. The aim of such palliative treatment is to reduce symptoms, improve quality of life and increase life

expectancy (Scottish Intercollegiate Guidelines Network (SIGN], 2006).

Treatment related mortality is a marker of the quality and safety of the whole service provided by the multidisciplinary team (MDT) (NHS Quality Improvement Scotland, 2008).

Treatment should only be undertaken in individuals that may benefit from treatment, that is, disease specific treatments should not be undertaken in futile situations. This Cancer Quality Performance Indicator (QPI) is intended to ensure treatment is given appropriately.

#### Evidence for Rationale

NHS Quality Improvement Scotland. Management of bowel cancer services. Edinburgh (Scotland): NHS Quality Improvement Scotland; 2008 Mar. 41 p. [36 references]

NHS Scotland, Scottish Cancer Taskforce. Upper GI cancer clinical quality performance indicators. Edinburgh (Scotland): Healthcare Improvement Scotland, Scottish Government; 2015 Jan. 41 p. [15 references]

Scottish Intercollegiate Guidelines Network (SIGN). Management of oesophageal and gastric cancer. A national clinical guideline. Edinburgh (Scotland): Scottish Intercollegiate Guidelines Network (SIGN); 2006 Jun. 69 p. (SIGN publication; no. 87). [393 references]

#### Primary Health Components

Oesophageal cancer; gastric cancer; curative oncological treatment; chemoradiotherapy; perioperative chemotherapy; death

#### **Denominator Description**

All patients with oesophageal or gastric cancer who receive curative oncological treatment

## Numerator Description

Number of patients with oesophageal or gastric cancer who receive curative oncological treatment who die within 30 days of treatment (see the related "Numerator Inclusions/Exclusions" field)

## Evidence Supporting the Measure

## Type of Evidence Supporting the Criterion of Quality for the Measure

A clinical practice guideline or other peer-reviewed synthesis of the clinical research evidence

A formal consensus procedure, involving experts in relevant clinical, methodological, public health and organizational sciences

## Additional Information Supporting Need for the Measure

Unspecified

## **Extent of Measure Testing**

The collection of data is piloted on a small number of patient records using a paper data collection form produced by the Information Services Division (ISD). The aim is to identify any anomalies or difficulties with data collection prior to full implementation. At least one NHS board in each

### Evidence for Extent of Measure Testing

NHS Scotland. National cancer quality performance indicators: overview of development process. Edinburgh (Scotland): NHS Scotland; 2012 Dec. 7 p.

#### State of Use of the Measure

State of Use

Current routine use

Current Use

not defined yet

## Application of the Measure in its Current Use

### Measurement Setting

Ambulatory Procedure/Imaging Center

Hospital Inpatient

Hospital Outpatient

Professionals Involved in Delivery of Health Services

not defined yet

Least Aggregated Level of Services Delivery Addressed

Single Health Care Delivery or Public Health Organizations

Statement of Acceptable Minimum Sample Size

Unspecified

Target Population Age

Unspecified

Target Population Gender

Either male or female

## National Strategy for Quality Improvement in Health Care

National (	Quality	Strategy	Aim
------------	---------	----------	-----

Better Care

## National Quality Strategy Priority

Prevention and Treatment of Leading Causes of Mortality

# Institute of Medicine (IOM) National Health Care Quality Report Categories

#### **IOM Care Need**

Getting Better

Living with Illness

#### **IOM Domain**

Effectiveness

## Data Collection for the Measure

## Case Finding Period

Unspecified

## **Denominator Sampling Frame**

Patients associated with provider

#### Denominator (Index) Event or Characteristic

Clinical Condition

Therapeutic Intervention

#### **Denominator Time Window**

not defined yet

#### Denominator Inclusions/Exclusions

Inclusions

All patients with desophagear of gastric cancer who receive curative of cological deathers.
Exclusions None
Exclusions/Exceptions
not defined yet
Numerator Inclusions/Exclusions
Inclusions  Number of patients with oesophageal or gastric cancer who receive curative oncological treatment who die within 30 days of treatment
Note: Curative oncological treatments included are as follows:
<ul> <li>Chemoradiotherapy</li> <li>Perioperative chemotherapy (this includes neo-adjuvant and adjuvant chemotherapy)</li> </ul>
Exclusions None
Numerator Search Strategy
Fixed time period or point in time
Data Source
Electronic health/medical record
Paper medical record
Type of Health State
Death
Instruments Used and/or Associated with the Measure
Unspecified
Computation of the Measure
Measure Specifies Disaggregation

## Basis for Disaggregation

This indicator will be reported by treatment modality/intent as opposed to one single figure.

Measure is disaggregated into categories based on different definitions of the denominator and/or numerator

## Interpretation of Score Desired value is a lower score Allowance for Patient or Population Factors not defined yet Standard of Comparison not defined yet Prescriptive Standard Target: less than 10% **Evidence for Prescriptive Standard** NHS Scotland, Scottish Cancer Taskforce. Upper GI cancer clinical quality performance indicators. Edinburgh (Scotland): Healthcare Improvement Scotland, Scottish Government; 2015 Jan. 41 p. [15 references] **Identifying Information** Original Title QPI 12 (i) – 30 day mortality following oncological treatment. Measure Collection Name Cancer Quality Performance Indicators (QPIs) Measure Set Name Upper GI Cancer Measure Subset Name Oncological Treatment Outcome QPIs

Scoring

Rate/Proportion

Submitter

NHS Scotland - National Government Agency [Non-U.S.]

Scottish Cancer Taskforce - National Government Agency [Non-U.S.]
Developer
NHS Scotland - National Government Agency [Non-U.S.]
Scottish Cancer Taskforce - National Government Agency [Non-U.S.]
Funding Source(s)
Scottish Government
Composition of the Group that Developed the Measure
Upper GI Cancer QPI Development Group
Financial Disclosures/Other Potential Conflicts of Interest
Unspecified
Adaptation
This measure was not adapted from another source.
Date of Most Current Version in NQMC
2015 Jan
Measure Maintenance
The Cancer Quality Performance Indicators (QPIs) will be kept under regular review and be responsive to changes in clinical practice and emerging evidence.
Date of Next Anticipated Revision
Unspecified
Measure Status
This is the current release of the measure.
Measure Availability
Source document available from the Healthcare Improvement Scotland Web site
For more information, contact the Healthcare Improvement Scotland at Gyle Square, 1 South Gyle Crescent, Edinburgh, Scotland EH12 9EB; Phone: 0131 623 4300; E-mail: comments.his@nhs.net; Web site: www.healthcareimprovementscotland.org/

#### **Companion Documents**

The following is available:

• NHS Scotland. National cancer quality performance indicators: overview of development process. Edinburgh (Scotland): NHS Scotland; 2012 Dec. 7 p. This document is available from the Healthcare Improvement Scotland Web site.

#### **NQMC Status**

This NQMC summary was completed by ECRI Institute on May 19, 2017.

#### Copyright Statement

No copyright restrictions apply.

#### **Production**

#### Source(s)

NHS Scotland, Scottish Cancer Taskforce. Upper GI cancer clinical quality performance indicators. Edinburgh (Scotland): Healthcare Improvement Scotland, Scottish Government; 2015 Jan. 41 p. [15 references]

#### Disclaimer

## NQMC Disclaimer

The National Quality Measures Clearinghouseâ,  $\phi$  (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. Moreover, the views and opinions of developers or authors of measures represented on this site do not necessarily state or reflect those of NQMC, AHRQ, or its contractor, ECRI Institute, and inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.